

Rosabor®

B-based clear liquid

Composition

- ▶ 11 % water-soluble boron (B), that is 150 g/l

Specifications

- ▶ Product pH: 8.0 – 8.2
- ▶ pH at 1.5 % dilution: 8.5 ± 0.4
- ▶ Store: at +5°C minimum
- ▶ Density: 1.36

Packaging

- ▶ 1 l can, 12 l box
- ▶ 5 l can, 20 l box
- ▶ 10 l can
- ▶ 200 l keg
- ▶ dark 1,000 l multibox

Use

- ▶ Foliar application. May be used in micro-irrigation systems.

EC FERTILISER, boron ethanolamine fertiliser. Rosabor® is a basic nutritional complement. This product contains boron and is needed to improve sugar content of sugar beet, chicory, and fruit and vegetable crops.



Dosage

- ▶ Sugarbeet/chicory: at 10 to 15-leaf stage, apply 5 l/ha on well-balanced soils. Add 5 l/h on poor or sandy soils add an additional 5l/ha at the time of recovering the lines.
- ▶ Orchards: 2 applications of 100 to 300cc/ha, from just before blossom to fruit setting. An application is recommended following harvest
- ▶ Cabbage: 3 l/ha, 2 weeks after transplanting
- ▶ Carrots: 3 l/ha, between 10 and 15cm stages
- ▶ Alfalfa: 1 to 3 l/ha, after each cut
- ▶ Vine: 300 to 500 cc/hl before and after blooming
- ▶ Olive tree: 0.5 to 1 l/ha per application
- ▶ Sunflower: 5 l/ha, at 15cm stage
- ▶ Oil seed rape: 4 l/ha, at D1-D2 stage
- ▶ To be used only where there is a recognized need. Do not exceed the appropriate dose rates.

