

Rosaleaf 8-8-6+TE

NPK clear liquid

EC FERTILISER. Poor in chlorine NPK solution containing trace elements, ideal to stimulate plants which growth is lagging behind expectations.

Composition

- ▶ 8 % nitrogen of which 1.00 % nitric nitrogen, 1.50 % ammoniacal nitrogen and 5.50 % ureic nitrogen, that is 95 g/l
- ▶ 8 % water-soluble phosphorus pentoxide (P_2O_5), that is 95 g/l
- ▶ 6 % poor in chlorine, water-soluble potassium oxide (K_2O), that is 71 g/l
- ▶ 0.01 % water-soluble boron (B), that is 0.12 g/l
- ▶ 0.0065 % water-soluble copper (Cu), EDTA chelated, that is 0.08 g/l
- ▶ 0.02 % water-soluble iron (Fe), EDTA chelated, that is 0.24 g/l
- ▶ 0.02 % manganese (Mn) EDTA chelated, that is 0.24 g/l
- ▶ 0.001 % water-soluble molybdenum (Mo), that is 0.012 g/l
- ▶ 0.009 % water-soluble zinc (Zn) EDTA chelated, that is 0.11 g/l
- ▶ pH range for a good EDTA stability: 2-8



Specifications

- ▶ Product pH: 5.90 – 6.10
- ▶ pH at 1.5 % dilution: 6.8 ± 0.3
- ▶ Store: at +5°C minimum
- ▶ Density: 1.19

Packaging

- ▶ 1 l can, 12 l box
- ▶ 5 l can, 20 l box
- ▶ 10 l canister
- ▶ 200 l keg
- ▶ 1,000 l multibox

Use

- ▶ Foliar application. May be used in micro-irrigation.

Dosage

- ▶ Flax: 2 x 5 l/ha at 10 and 20 cm stages
- ▶ Peas, soja, beans: 2 x 5 l/ha at 8-10 cm stage and before blooming
- ▶ Corn: 5 l/ha at 6-leaf stage
- ▶ Potatoes: 3 x 5 l/ha every fortnight after the start of tubing
- ▶ Orchards: 4 l/ha per application, from fruit setting, to be repeated every 8 to 15 days depending on needs
- ▶ Vine: 4 l/ha, after setting, to be repeated every 8 to 15 days